

Extruder equipment BM TE

- Cylinder for standard shutters

(500627)



- Cylinder for ø 45 mm shutters

(503928)



- Ball joint for shutter cylinders

(500594)



- Cylinder for clean function

(503140)



- Shaft seal

(500888)




- Wear bush for shaft seal

(500870)



- Teflon ring for swivel joint

(OKK010H)



- Screw pump shaft including wear bush

(510491)



Common spare parts “Equipment”

2013-01-02

- Support wheel (510501)



- Slide bar (107986)



- Teflon hoses for standard shutters, Borum standard (500889)



- Teflon hoses for ø 45 mm shutters (only used on special extruder) (510500)



- Hydraulic motor (511373)



- Coupling for motor. (rubber part only) (503765)



- Pneumatic filter (500836)



- Pneumatic automatic drain (510022)



Common spare parts “Equipment”

2013-01-02

➤ *Pneumatic control valve for shutters*

▪ Norgren valve (502873)



• Univer ac 8500 (510010)



• Coil for Univer (500002)




• Nut for Univer coil (500004)



• Plug for Univer (500003)



• Lucifer type (500451)



• Coil for Lucifer (500777)



• Plug for Lucifer (500833)




Common spare parts “Equipment”

2013-01-02

Cork gasket for pump

- Top part

(110134)



- Lower part

- 300 mm
- 400 mm
- 450 mm
- 500 mm
- 600 mm


(110317)

(110318)

(105513)

(110319)

(105221)



Teflon seal on shutters

- 300 mm
- 400 mm
- 450 mm
- 500 mm
- 600 mm (615 mm)

(504842)

(504841)

(504840)

(504838)

(510864)



Insulation plate

- 300 mm
- 400 mm
- 450 mm
- 500 mm
- 600 mm

(106304)

(106305)

(108021)

(106306)

(107701)



Common spare parts “Equipment”

2013-01-02

Tin for insulation plate (remember screws)

- 300 mm (OKK012K)
- 400 mm (OKK01NJ)
- 450 mm (105003)
- 500 mm (OKK012J)
- 600 mm (107706)



➤ ***Shutter Standard HSS ø40***

- 25 mm (no heat transfer oil connection) (102057)
- 40 mm (only to be used with holding tool) (113278)
- 45 mm (109751)
- 50 mm (109753)
- 60 mm (109746)
- 70 mm (109748)
- 80 mm (109734)
- 100 mm (not recommendable) (109755)



Shutter HM ø40 (only to be used with holding tool)

- 40 mm (107713)
- 50 mm (108298)



Holding tool

- 40 mm (108243)
- 50 mm (CEO00FM)
- 2 x 50 mm (CEO00FO)



Common spare parts “Equipment”

2013-01-02

➤ **Bottom line**

- 300 mm (106924)
- 400 mm (110355)
- 450 mm (107379)
- 500 mm (108873)
- 600 mm (108576)

- 300 mm (For ø 45 mm shutter) (110055)



Distance sleeves

- 4.4 mm (101549)
- 4.6 mm (101548)
- 4.8 mm (101547)
- 5.0 mm (101546)
- 5.1 mm (101551)
- 5.2 mm (101545)
- 5.3 mm (101542)
- 5.4 mm (101553)
- 5.45 mm (111276)
- 5.6 mm (101554)
- 5.8 mm (101555)

- 4.8mm (For ø 45 mm shutter) (113190)
- 5.0 mm (For ø 45 mm shutter) (103453)
- 5.4 mm (For ø 45 mm shutter) (110107)

- 5.0 mm (for heat oil shaft) (113113)



Blind shutters

- 20 mm (111030)
- 30 mm (111032)
- 40 mm (111034)



Common spare parts “Equipment”


2013-01-02

- 50mm (111028)

Return plates


For shutters installed in the side

- 40 mm (108052)
- 45 mm (112931)
- 50 mm (113254)
- 60 mm (106934)
- 70 mm (112781)
- 100 mm (not recommendable) (SSJ01Z0)



For other shutters

- 30 mm (107739)
- 40 mm (107737)
- 45 mm (112946)
- 50 mm (100146)
- 60 mm (106933)
- 70 mm (111701)
- 100 mm (not recommendable) (SSJ01YY)



Shaft for shutters

- 300 mm (110352)
- 400 mm (110351)
- 450 mm (110350)
- 500 mm (110348)
- 600 mm (110349)



Common spare parts “Equipment”

2013-01-02

Pneumatic quick connectors

- Push-in fittings 90° Ø8mm 1/8” (510836)
- Push-in fittings Ø8mm 1/8” (510837)
- Male for shutters (1/2”) (510242)
- Female for shutters (1/2”) (510241)
- Male for lift and glass bead guns (3/8”) (504344)
- Female for lift and glass bead guns (3/8”) (504343)



Hydraulic quick connectors

- Male (flat face 1/2”) (508113)
- Male (ISO A 1/2”) (508116)



Common spare parts “Equipment”

2013-01-02

- Female (flat face 1/2”) (508112)



- Female (ISO A 1/2”) (508115)




Hydraulic PVG valve

- Complete valve one module (501232)



- Complete valve two modules (510477)



- Electric module (501235)



- Valve shaft 40L. (For extruder pump) (501234)



- Valve shaft 25 L. (For structure / dot rotor) (501236)



- Pressure gauge (504044)

